


SPECIFICATION  
OF  
PHOTOVOLTAIC MODULE

Type LA441G66S

Jul. 27, 1994



PREPARED BY

*Y. Higashi*

CHECKED BY

*S. Inoue*

APPROVED BY

*N. Kitamura*

KYOCERA CORPORATION

KYOTO, JAPAN

## SPECIFICATION OF PHOTOVOLTAIC MODULE

## 1. APPLICATION

This specification is applicable for photovoltaic module LA441G66S.

## 2. ELECTRICAL SPECIFICATION

Characteristics	Typ.
Maximum power (P <sub>max</sub> )	: 66.2 W ± 5 %
Short circuit current (I <sub>sc</sub> )	: 3.35 A
Open circuit voltage (V <sub>oc</sub> )	: 26.3 V
Maximum power current (I <sub>pmax</sub> )	: 3.20 A
Maximum power voltage (V <sub>pmax</sub> )	: 20.7 V
Maximum system open circuit voltage	: 800 V
Test condition	: Cell temperature 25°C Irradiance AM1.5 , 1 kW/m <sup>2</sup>

## 3. PHYSICAL SPECIFICATION

Dwg.No.	AC - 560064
Dimension	1198 × 448 × 52 mm
Weight	7.3 Kg

